This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/828,681	04/09/2001	Rusty Shawn Lee		6786	
7:	590 08/26/20	4	EXAMINER		
Rusty S. Lee		HOGAN, MARY C			
1525 Wilder Ave. #606 Honolulu, HI 96822			ART UNIT PAPER NUMBER		
,			2123		
			DATE MAILED: 08/26/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

•		Application No.	Applicant(s)	100			
		09/828,681	LEE, RUSTY SHA	LEE, RUSTY SHAWN			
	Office Action Summary	Examiner	Art Unit				
		Mary C Hogan	2123				
· Period fo	The MAILING DATE of this communication apport Reply	pears on the cover sheet	with the correspondence ad	dress			
THE - Exte after - If the - If NO - Failt Any	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period are to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailine depatent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may by within the statutory minimum of will apply and will expire SIX (6) Me, cause the application to become	e a reply be timely filed thirty (30) days will be considered timel IONTHS from the mailing date of this or ABANDONED (35 U.S.C. § 133).	y. ommunication.			
Status							
1)	Responsive to communication(s) filed on 4/9/0	01.					
2a)□	•	— s action is non-final.					
3)	Since this application is in condition for allowa		atters, prosecution as to the	e merits is			
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposit	ion of Claims						
5)□ 6)⊠ 7)□	Claim(s) <u>1-28</u> is/are pending in the application 4a) Of the above claim(s) is/are withdra Claim(s) is/are allowed. Claim(s) <u>1-28</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	wn from consideration.					
Applicat	ion Papers						
10)⊠	The specification is objected to by the Examine The drawing(s) filed on <u>09 April 2001</u> is/are: a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine)⊠ accepted or b)⊡ ob drawing(s) be held in abey tion is required if the drawi	vance. See 37 CFR 1.85(a). ng(s) is objected to. See 37 CF				
Priority (under 35 U.S.C. § 119						
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea See the attached detailed Office action for a list	ts have been received. ts have been received in rity documents have bee u (PCT Rule 17.2(a)).	n Application No en received in this National	Stage			
Attachmer	nt(s)						
1) Notice 2) Notice 3) Infor	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) er No(s)/Mail Date	Paper N	w Summary (PTO-413) lo(s)/Mail Date of Informal Patent Application (PTC	O-152)			

Application/Control Number: 09/828,681 Page 2

Art Unit: 2123

DETAILED ACTION

1. This application has been examined.

2. Claims 1-28 have been examined and rejected.

Claim Interpretation

- 3. Claim 4 is directed to: the generated code consisting of instructions to load the code libraries. This claim was interpreted as being directed to loading the machine control instructions contained in the libraries that are represented by the objects in the graphical representation of the system when the machine code is generated.
- 4. Claim 17 is directed to: the step of monitoring or tracing the path of data flow and execution of the generated code by visually indicating activity in active objects in the network, however the meaning of this claim is unclear. This claim was interpreted as being directed to the ability to monitor the creation of the machine code as the code is created for each object in the system which would visually indicate activity of active objects in the system, those "active objects" being those objects whose source code is being generated.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 6. Claims 1-7, 10,11, 14-17, 20-24, 26 and 17 are rejected under 35 U.S.C. 102(b) as being anticipated by Marmelstein (U.S. Patent Number 5,187,788), herein referred to as Marmelstein.
- As to Claim 1, Marmelstein teaches: a method executed by a mechanical, electronic or computer system for generating machine control instructions, the method comprising the steps of: reading in a user input to select an object from a library of objects, wherein the objects consist of sets of machine control instructions for performing one or more functions (column 10, lines 12-18 and column 17, lines 52-55); connecting the selected object to a network of objects consisting of those objects previously selected and connected by the user, including identifying the inputs and outputs of the selected object and connecting these inputs and outputs to the inputs and outputs of the other objects in the network (column 17, lines

Application/Control Number: 09/828,681 Page 3

Art Unit: 2123

55-58 and column 19, lines 24-32); generating machine control instructions using the instructions contained in the network of objects (column 18, lines 53-55); updating the network of objects and the connections in the network to accurately reflect any changes made to the generated machine control instructions or to the network of objects (column 33, lines 28-34, 40-47).

- 8. As to Claim 2, Marmelstein teaches: generating machine control instructions (column 18, lines 53-55) and updating the network of objects and the connections in the network to accurately reflect any changes made to the generated machine control instructions or to the network of objects (column 33, lines 28-34, 40-47). It is concluded from the description in the specification that the user would only select the "Generate Ada" (Figure 5, element 513) option when they have completed constructing or modifying the network since the "Generate Ada" command produces source code for a completed APEX representation of the system.
- 9. As to Claim 3, Marmelstein teaches: the functions contained in the objects are used to generate the corresponding sets of instructions for inclusion in the generated machine control instructions (column 3, lines 19-20) whereby the direct mappings generate the corresponding set of Ada instructions.
- 10. As to Claim 4, Marmelstein teaches: the generated code consists of computer instructions to load the code libraries represented by the objects (column 10, lines 15-18, column 18, lines 53-57) wherein the objects selected point to code containing machine control instructions in a database, or library, and this code is read in and compiled when the Ada code is generated.
- 11. As to Claims 5 and 23, Marmelstein teaches: the user is a computer program (column 2, lines 58-59) wherein APEX is the computer program.
- 12. As to Claim 6, Marmelstein teaches: the machine control instructions are computer instructions belonging to an instruction set architecture (column 7, lines 13-19), wherein the APEX program is run on a Sun 3/XXX Workstation, therefore, the Ada instructions generated by this program belong to the instruction set architecture utilized by this system.
- 13. As to Claim 7, Marmelstein teaches: wherein the machine control instructions consist of source code in a computer programming or scripting language (column 2, lines 58-59).
- 14. As to Claim 10, Marmelstein teaches: the library of objects includes container objects that contain other objects or data (column 17, lines 52-55) wherein the objects (packages) contain data structures and the operations of these data structures.
- 15. As to Claim 11, Marmelstein teaches: the user input is generated by the manipulation of graphical depictions of objects on a computer or video display screen or monitor, said manipulation being

Page 4

Application/Control Number: 09/828,681

Art Unit: 2123

controlled by a computer mouse or a keyboard or some combination of a computer mouse and keyboard (column 18, lines 8-14).

- 16. As to Claim 14, Marmelstein teaches: the user input consists of the movement and connection of physical objects in physical space corresponding to objects in the library (column 18, lines 31-32) wherein the object can be positioned on the screen, (column 19, lines 24-32) wherein the connection of physical objects are made, (column 17, lines 52-55) wherein packages contain data structures and operations on the data structures read in from the library (column 17, lines 61-63).
- 17. As to Claim 15, Marmelstein teaches: the step of removing any number of objects from the network in response to user inputs (column 33, lines 28-34).
- 18. As to Claims 16 and 26, Marmelstein teaches: the step of modifying existing connections of objects in the network in response to user inputs (column 19, lines 35-37).
- 19. As to Claims 17 and 27, Marmelstein teaches: the step of monitoring or tracing the path of data flow and execution of the generated code by visually indicating activity in active objects in the network (column 18, lines 55-57) wherein all generated code is sent to the console screen for monitoring by the user.
- 20. As to Claim 20, Marmelstein teaches: the step of creating at least one new object of machine control instructions from the generated code (column 6, line 66-column 7, line 4).
- 21. As to Claim 21, Marmelstein teaches: a method for constructing a high-level object model from generated machine control instructions, the method comprising the steps of: reading in a sequence of machine control instructions for performing one or more functions (Figure 13, element 1310 and description); searching a library of objects for one or more objects that generate the sequence of machine control instructions read (Figure 13, elements 1320-1370 and description); parsing each matched sequence of machine control instructions to determine the objects connected to the inputs and outputs of each matching object found in the library of objects (column 11, lines 48-63) wherein the inputs and outputs of connecting objects of the matching object found in the library; connecting each matched object found in the library of objects to the other objects in the high-level model found in the previous steps (column 19, lines 24-32).
- 22. As to Claim 22, Marmelstein teaches: the original machine control instructions were generated from a source file by a compiler (column 18, lines 53-57) since the machine control instructions (Ada source code) was generated from a source file (APEX system representation).
- 23. As to Claim 24, Marmelstein teaches: the additional final step of generating machine control instructions from the high-level model (column 18, lines 53-55).

Application/Control Number: 09/828,681

Art Unit: 2123

Claim Rejections - 35 USC § 103

Page 5

24. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 25. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 26. Claims 8 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Marmelstein as applied to Claims 1 and 21 above, and further in view of Brender et al (U.S. Patent Number 5,339,422), herein referred to as Brender.
- 27. As to Claims 8 and 25, Marmelstein teaches compiling machine control instructions.
- 28. **Marmelstein** does not expressly teach the additional final step of translating or compiling the machine control instructions into another format of machine control instructions, wherein the format of the newly generated machine control instructions differs from that of the original machine control instructions
- 29. **Brender** teaches translating or compiling the machine control instructions into another format of machine control instructions, wherein the format of the newly generated machine control instructions differs from that of the original machine control instructions (**column 5**, **lines 12-23**) since in a multi-architecture environment, the implementation of subprogram or routine calls across domains involves different calling conventions in different architectures and translating or "jacketing" calls enables and facilitates cross-domain code execution with efficiency and essential transparency in the multi-architecture system (**column 2**, **lines 61-68**).

Page 6

Application/Control Number: 09/828,681

Art Unit: 2123

30. It would have been obvious to one of ordinary skill in the art at the time the invention was made to include the final step of translating or compiling the machine control instructions into another format as taught in **Brender** to the code generating system as taught in **Marmelstein** since the translating of code to operate on different domains enables and facilitates cross-domain code execution with efficiency and essential transparency in a multi-architecture system (column 2, lines 61-68). This ability to translate code to operate on different architectures would add more flexibility to the system as taught in **Marmelstein**.

- 31. Claims 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Marmelstein as applied to Claim 1 above, and further in view of Lithicum et al (U.S. Patent Number 6,714,213), herein referred to as Lithicum.
- 32. As to Claims 12 and 13, Marmelstein teaches the user inputs include the manipulation in physical space of virtual representations of the objects (column 10, lines 12-13 "selection of objects", column 18, lines 31-33, "position the package"), provided by a user interface (Figure 1, elements 10, 20 and 30).
- 33. **Marmelstein** does not expressly teach this user interface provided by a virtual reality system including a force-feedback or haptic interface.
- 34. **Lithicum** teaches the virtual reality system including a force-feedback or haptic interface such that when the user moves an object that is proximately close to another object, haptic feedback forces provide resistance against the user's attempted manipulation of the movable object that would result in a contact or collision between objects (column 2, lines 56-64).
- 35. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the user interface as taught in **Marmelstein** with the virtual reality system as taught in **Lithicum** since a haptic interface will provide resistance when two objects are moved in close proximity to each other and not allow the user to place objects too close or on top of one another as taught in **Lithicum** (column 2, lines 56-64).
- 36. Claims 9,18,19 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Marmelstein as applied to Claims 1 and 21 above, and further in view of Zink et al (U.S. Patent Number 6,738,964), herein referred to as Zink.
- 37. As to Claim 9, Marmelstein teaches a library of objects (column 10, lines 16-18).
- 38. **Marmelstein** does not expressly teach the library of objects including primitive operators for mathematical operations.

Page 7

Application/Control Number: 09/828,681

Art Unit: 2123

- 39. Zink teaches a graphical development system that develops applications for digital signal processors using a library of development components that the user can choose from (column 1, lines 47-49, column 2, lines 31-33, column 4, lines 35-38, 43-47). Zink further teaches that these components are self-contained deployable units of primary functionality and primary functionality refers to mathematical functions (column 4, line 64-column 5, line 1).
- 40. It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the objects in the library as taught in **Marmelstein** with the objects including primitive operators for mathematical operations as taught in **Zink** if the system as taught in **Marmelstein** is used to develop machine control instructions to run on a digital signal processor as the system taught in **Zink** (column 1, lines 48-50) since a program that runs on a digital signal processor includes these mathematical functions in order to properly function in the desired manner.
- As to Claims 18, 19 and 28, Marmelstein teaches user inputs provided by provided by a user interface (Figure 1, elements 10, 20 and 30) and updating a network of objects (column 33, lines 28-34, 40-47).
- 42. **Marmelstein** does not expressly teach the user inputs are provided by at least one user over a network connection or said step of updating the network of objects includes updating the network of objects to reflect changes made by at least one remote user over a network connection.
- 43. **Zink** teaches a graphical development system that includes a graphical user interface that may be accessed via a local area network, the internet, or other remote means for receiving user commands and to provide feedback or results to the user **(column 3, lines 26-31)**.
- 44. It would have been obvious to one of ordinary skill in the art at the time the invention was made that the user interface as taught in **Marmelstein** could be accessed via a network as taught in **Zink** and doing so would provide more flexibility to users by allowing them access the system from a remote location to provide user inputs which would include updating the network of objects.

Application/Control Number: 09/828,681

Art Unit: 2123

Conclusion

- 45. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 46. Keller et al (U.S. Patent Number 6,212,672) teaches a software development tool using graphical methods to design the desired program.
- Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary C Hogan whose telephone number is 703-305-7838 or 571-272-3712 beginning mid-October. The examiner can normally be reached on 7:30AM-5PM Monday-Friday. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Teska can be reached on 703-305-9704. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mary C Hogan Examiner Art Unit 2123

> JEAN BAHOVERE PRIMARY EXAMINER